

**BLOOD AND PLASMA
BIOLOGICAL PRODUCT DEVIATION CODES
FY04**

CBER enters the fourth level detail code (e.g., A, B, C) into the database as standardized remarks to further describe some of the codes, in particular miscellaneous codes. These codes are not included on the BPD report form.

PD/DS/DD DONOR SUITABILITY

PD--** POST DONATION INFORMATION**

PD-10- Miscellaneous**

PD-10-01 Other

PD-11- Testing**

PD-11-01 Other

A – West Nile Virus

PD-11-02 Tested positive for Hepatitis B post donation

PD-11-03 Tested positive for Hepatitis B prior to donation

PD-11-04 Tested positive for Hepatitis C post donation

PD-11-05 Tested positive for Hepatitis C prior to donation

PD-11-06 Tested positive for HIV post donation

PD-11-07 Tested positive for HIV prior to donation

PD-11-08 Tested positive for HTLV I/II post donation

PD-11-09 Tested positive for HTLV I/II prior to donation

PD-11-10 Tested positive for sexually transmitted disease post donation

PD-11-11 Tested positive for sexually transmitted disease prior to donation

PD-11-12 Tested positive for hepatitis not specified, post donation

PD-11-13 Tested positive for hepatitis not specified, prior to donation

PD-11-14 Tested positive at another center, specific testing unknown

PD-11-15 Tested positive for Hepatitis A post donation

PD-11-16 Tested positive for Hepatitis A prior to donation

PD-11-17 Elevated ALT post donation

PD-11-18 Elevated ALT prior to donation

PD-12- Behavior/History**

PD-12-01 Other

A - Unknown

B - Sex partner unsuitable (tested positive, history of jaundice)

C - Unacceptable address

D - Rape

E Donor unreliable (mental status questionable)

PD-12-02 History of hepatitis not specified

PD-12-03 History of jaundice

PD-12-04 History of Hepatitis B

PD-12-05 History of Hepatitis C

PD-12-06 Sexually transmitted disease

PD-12-07 Sex partner has or had a sexually transmitted disease

PD-12-08 Sex partner tested positive for HIV

PD-12-09 Sex partner tested positive for HTLV I/II
PD-12-10 Sex partner tested positive for HBV
PD-12-11 Sex partner tested positive for HCV
PD-12-12 Sex partner tested positive for hepatitis, not specified
PD-12-13 Sex partner engaged in high risk behavior
 A - Sex partner received clotting factor
 B - Sex partner incarcerated
PD-12-14 Male donor had sex with another man
PD-12-15 Female had sex with a man who had sex with another man
PD-12-16 IV drug use
PD-12-17 Sex with IV drug user
PD-12-18 Non-IV-drug use
PD-12-19 Sex partner used non-IV drugs
PD-12-20 Donor lived in or immigrated from an HIV Group O risk area
PD-12-21 Sex partner lived in or immigrated from an HIV Group O risk area
PD-12-22 Exchanged sex for drugs or money
PD-12-23 Sex partner exchanged sex for drugs or money
PD-12-24 Donor received tattoo
PD-12-25 Donor received ear piercing
PD-12-26 Donor received body piercing
PD-12-27 Donor received accidental needlestick
PD-12-28 Donor received transfusion or clotting factors
PD-12-29 Donor received bone graft or transplant
PD-12-30 Donor was exposed to blood or body fluids
 A - Acupuncture
 B - Animal bite
 C - Human bite
 D - Occupational exposure
 E - Not specified
PD-12-31 Donor had multiple blood or body fluid exposures
 A - Tattoo and piercing
PD-12-32 Non-sexual exposure to HIV
PD-12-33 Non-sexual exposure to hepatitis, type not specified
PD-12-34 Non-sexual exposure to Hepatitis B
PD-12-35 Non-sexual exposure to Hepatitis C
PD-12-36 Travel to malaria endemic area/history of malaria
PD-12-37 History of disease or surgery
PD-12-38 History of cancer
PD-12-39 History of Creutzfeldt-Jakob Disease
PD-12-40 Risk factors associated with Creutzfeldt-Jakob Disease
 - brain surgery
PD-12-41 Risk factors associated with Creutzfeldt-Jakob Disease
 - family history
PD-12-42 Risk factors associated with Creutzfeldt-Jakob Disease - travel
PD-12-43 Risk factors associated with Creutzfeldt-Jakob Disease
 - received insulin

- PD-12-44 Received growth hormone
- PD-12-45 Received Proscar, Tegison or Accutane
- PD-12-46 Received medication or antibiotics
- PD-12-47 Received vaccine or immune globulin
- PD-12-48 Exposure to a disease
- PD-12-49 Incarcerated
- PD-12-50 Resided in a rehabilitation center or psychiatric hospital
- PD-12-51 History of Hepatitis A
- PD-12-52 Exposure to Hepatitis A
- PD-12-53 Multiple high risk behaviors/contacts
- PD-12-54 Positive drug screen
- PD-12-55 Deferred by another center
- PD-13-** Illness
 - PD-13-01 Post donation illness (not hepatitis, HIV, HTLV-I, STD, cancer or cold/flu related)
 - A - Babesiosis
 - B - West Nile Virus
 - C - Non-specific symptoms – possible West Nile Virus
 - PD-13-02 Post donation diagnosis or symptoms of Hepatitis B
 - PD-13-03 Post donation diagnosis or symptoms of Hepatitis C
 - PD-13-04 Post donation diagnosis or symptoms of HIV
 - PD-13-05 Post donation diagnosis or symptoms of HTLV I/II
 - PD-13-06 Post donation diagnosis or symptoms of sexually transmitted disease
 - PD-13-07 Post donation diagnosis or symptoms of hepatitis, not specified
 - PD-13-08 Post donation diagnosis or symptoms of Hepatitis A
 - PD-13-09 Post donation diagnosis of cancer
- PD-14-** Not specifically related to high risk behavior or unsuitable history
 - PD-14-01 Other
 - PD-14-02 Donor does not want their blood used
 - PD-14-03 Donated to be tested or called back for test results
- DS-**-** DONOR SCREENING
 - DS-20-** Miscellaneous
 - DS-20-01 Other
 - DS-21-** Donor did not meet acceptance criteria
 - DS-21-01 Other
 - A - Unacceptable address
 - DS-21-02 Hemoglobin or Hematocrit unacceptable, not documented, or testing performed incorrectly
 - A - Expired reagents used for QC
 - DS-21-03 Temperature unacceptable or not documented
 - DS-21-04 Medical review or physical not performed or inadequate
 - DS-21-05 Platelet count, no documented platelet count for product
 - DS-21-06 Unexplained weight loss
 - DS-22-** Donor record incomplete or incorrect
 - DS-22-01 Other

- A - Donor record missing
- DS-22-02 Donor identification
- DS-22-03 Donor history questions
- DS-22-04 Arm inspection
- DS-22-05 Donor signature missing
- DS-22-06 Confidential Unit Exclusion (CUE) procedure not performed in accordance with specifications
- DS-22-07 Donor confidentiality compromised
- DS-23-** Deferral screening not done
- DS-23-01 Donor not previously deferred
- DS-24-** Deferral screening not done, donor previously deferred due to testing:
- DS-24-01 Other
 - A - Unknown
 - DS-24-02 HIV reactive
 - DS-24-03 HBsAg reactive
 - DS-24-04 Anti-HBc reactive
 - DS-24-05 Anti-HCV reactive
 - DS-24-06 Anti-HTLV-I reactive
 - DS-24-07 ALT elevated
 - DS-24-08 Syphilis reactive
- DS-25-** Deferral screening not done, donor previously deferred due to history
- DS-25-01 Other
 - A - Unknown
 - B - Sex partner unsuitable (tested positive, history of jaundice)
 - C - Unacceptable address
 - D - Rape
 - E - Donor unreliable (mental status questionable)
- DS-25-02 History of hepatitis, not specified
- DS-25-03 History of jaundice
- DS-25-04 History of Hepatitis B
- DS-25-05 History of Hepatitis C
- DS-25-06 Sexually transmitted disease
- DS-25-07 Sex partner has or had a sexually transmitted disease
- DS-25-08 Sex partner tested positive for HIV
- DS-25-09 Sex partner tested positive for HTLV I/II
- DS-25-10 Sex partner tested positive for HBV
- DS-25-11 Sex partner tested positive for HCV
- DS-25-12 Sex partner tested positive for hepatitis, not specified
- DS-25-13 Sex partner engaged in high risk behavior
- DS-25-14 Male donor had sex with another man
- DS-25-15 Female had sex with a man who had sex with another man
- DS-25-16 IV drug use
- DS-25-17 Sex with IV drug user
- DS-25-18 Non-IV-drug use
- DS-25-19 Sex partner used non-IV drugs
- DS-25-20 Donor lived in or immigrated from an HIV Group O risk area

DS-25-21 Sex partner lived in or immigrated from an HIV Group O risk area
DS-25-22 Exchanged sex for drugs or money
DS-25-23 Sex partner exchanged sex for drugs or money
DS-25-24 Donor received tattoo
DS-25-25 Donor received ear piercing
DS-25-26 Donor received body piercing
DS-25-27 Donor received accidental needlestick
DS-25-28 Donor received transfusion or clotting factors
DS-25-29 Donor received bone graft or transplant
DS-25-30 Donor was exposed to blood or body fluids
 A - Acupuncture
 B - Animal bite
 C - Human bite
 D - Occupational exposure
 E - Not specified
DS-25-31 Donor had multiple blood or body fluid exposures
 A - Tattoo and piercing
DS-25-32 Non-sexual exposure to HIV
DS-25-33 Non-sexual exposure to hepatitis, type not specified
DS-25-34 Non-sexual exposure to Hepatitis B
DS-25-35 Non-sexual exposure to Hepatitis C
DS-25-36 Travel to malaria endemic area/history of malaria
DS-25-37 History of disease or surgery
DS-25-38 History of cancer
DS-25-39 History of Creutzfeldt-Jakob Disease
DS-25-40 Risk factors associated with Creutzfeldt-Jakob Disease
 - brain surgery
DS-25-41 Risk factors associated with Creutzfeldt-Jakob Disease
 - family history
DS-25-42 Risk factors associated with Creutzfeldt-Jakob Disease
 - travel
DS-25-43 Risk factors associated with Creutzfeldt-Jakob Disease
 - received insulin
DS-25-44 Received growth hormone
DS-25-45 Received Proscar, Tegison or Accutane
DS-25-46 Received medication or antibiotics
DS-25-47 Received vaccine or immune globulin
DS-25-48 Exposure to a disease
DS-25-49 Incarcerated
DS-25-50 Resided in a rehabilitation center or psychiatric hospital
DS-25-51 History of Hepatitis A
DS-25-52 Exposure to Hepatitis A
DS-25-53 Multiple high risk behaviors/contacts
DS-25-54 Positive drug screen
DS-25-55 Deferred by another center
DS-26-** Incorrect ID used during deferral search

DS-26-01 donor not previously deferred
DS-27-** Incorrect ID used during deferral search, donor previously deferred due to testing
DS-27-01 Other
 A - Unknown
DS-27-02 HIV reactive
DS-27-03 HBsAg reactive
DS-27-04 Anti-HBc reactive
DS-27-05 Anti-HCV reactive
DS-27-06 Anti-HTLV-I reactive
DS-27-07 ALT elevated
DS-27-08 Syphilis reactive
DS-28-** Incorrect ID used during deferral search, donor previously deferred due to history
DS-28-01 Other
 A - Unknown
 B - Sex partner unsuitable (tested positive, history of jaundice)
 C - Unacceptable address
 D - Rape
 E - Donor unreliable (mental status questionable)
DS-28-02 History of hepatitis, not specified
DS-28-03 History of jaundice
DS-28-04 History of Hepatitis B
DS-28-05 History of Hepatitis C
DS-28-06 Sexually transmitted disease
DS-28-07 Sex partner has or had a sexually transmitted disease
DS-28-08 Sex partner tested positive for HIV
DS-28-09 Sex partner tested positive for HTLV I/II
DS-28-10 Sex partner tested positive for HBV
DS-28-11 Sex partner tested positive for HCV
DS-28-12 Sex partner tested positive for hepatitis, not specified
DS-28-13 Sex partner engaged in high risk behavior
DS-28-14 Male donor had sex with another man
DS-28-15 Female had sex with a man who had sex with another man
DS-28-16 IV drug use
DS-28-17 Sex with IV drug user
DS-28-18 Non-IV-drug use
DS-28-19 Sex partner used non-IV drugs
DS-28-20 Donor lived in or immigrated from an HIV Group O risk area
DS-28-21 Sex partner lived in or immigrated from an HIV Group O risk area
DS-28-22 Exchanged sex for drugs or money
DS-28-23 Sex partner exchanged sex for drugs or money
DS-28-24 Donor received tattoo
DS-28-25 Donor received ear piercing
DS-28-26 Donor received body piercing
DS-28-27 Donor received accidental needlestick

- DS-28-28 Donor received transfusion or clotting factors
- DS-28-29 Donor received bone graft or transplant
- DS-28-30 Donor was exposed to blood or body fluids
 - A - Acupuncture
 - B - Animal bite
 - C - Human bite
 - D - Occupational exposure
 - E - Not specified
- DS-28-31 Donor had multiple blood or body fluid exposures
 - A - Tattoo and piercing
- DS-28-32 Non-sexual exposure to HIV
- DS-28-33 Non-sexual exposure to hepatitis, type not specified
- DS-28-34 Non-sexual exposure to Hepatitis B
- DS-28-35 Non-sexual exposure to Hepatitis C
- DS-28-36 Travel to malaria endemic area/history of malaria
- DS-28-37 History of disease or surgery
- DS-28-38 History of cancer
- DS-28-39 History of Creutzfeldt-Jakob Disease
- DS-28-40 Risk factors associated with Creutzfeldt-Jakob Disease
 - brain surgery
- DS-28-41 Risk factors associated with Creutzfeldt-Jakob Disease
 - family history
- DS-28-42 Risk factors associated with Creutzfeldt-Jakob Disease
 - travel
- DS-28-43 Risk factors associated with Creutzfeldt-Jakob Disease
 - received insulin
- DS-28-44 Received growth hormone
- DS-28-45 Received Proscar, Tegison or Accutane
- DS-28-46 Received medication or antibiotics
- DS-28-47 Received vaccine or immune globulin
- DS-28-48 Exposure to a disease
- DS-28-49 Incarcerated
- DS-28-50 Resided in a rehabilitation center or psychiatric hospital
- DS-28-51 History of Hepatitis A
- DS-28-52 Exposure to Hepatitis A
- DS-28-53 Multiple high risk behaviors/contacts
- DS-28-54 Positive drug screen
- DS-28-55 Deferred by another center
- DS-29-** Donor gave history which warranted deferral or follow up and was not deferred or follow up questions were not asked
 - DS-29-01 Other
 - A - Unknown
 - B - Sex partner unsuitable (tested positive, history of jaundice)
 - D - Rape
 - E - Donor unreliable (mental status questionable)
 - DS-29-02 History of hepatitis, not specified

- DS-29-03 History of jaundice
- DS-29-04 History of Hepatitis B
- DS-29-05 History of Hepatitis C
- DS-29-06 Sexually transmitted disease
- DS-29-07 Sex partner has or had a sexually transmitted disease
- DS-29-08 Sex partner tested positive for HIV
- DS-29-09 Sex partner tested positive for HTLV I/II
- DS-29-10 Sex partner tested positive for HBV
- DS-29-11 Sex partner tested positive for HCV
- DS-29-12 Sex partner tested positive for hepatitis, not specified
- DS-29-13 Sex partner engaged in high risk behavior
- DS-29-14 Male donor had sex with another man
- DS-29-15 Female had sex with a man who had sex with another man
- DS-29-16 IV drug use
- DS-29-17 Sex with IV drug user
- DS-29-18 Non-IV-drug use
- DS-29-19 Sex partner used non-IV drugs
- DS-29-20 Donor lived in or immigrated from an HIV Group O risk area
- DS-29-21 Sex partner lived in or immigrated from an HIV Group O risk area
- DS-29-22 Exchanged sex for drugs or money
- DS-29-23 Sex partner exchanged sex for drugs or money
- DS-29-24 Donor received tattoo
- DS-29-25 Donor received ear piercing
- DS-29-26 Donor received body piercing
- DS-29-27 Donor received accidental needlestick
- DS-29-28 Donor received transfusion or clotting factors
- DS-29-29 Donor received bone graft or transplant
- DS-29-30 Donor was exposed to blood or body fluids
 - A - Acupuncture
 - B - Animal bite
 - C - Human bite
 - D - Occupational exposure
 - E - Not specified
- DS-29-31 Donor had multiple blood or body fluid exposures, e.g., tattoo and piercing
 - A – Tattoo and piercing
- DS-29-32 Non-sexual exposure to HIV
- DS-29-33 Non-sexual exposure to hepatitis, type not specified
- DS-29-34 Non-sexual exposure to Hepatitis B
- DS-29-35 Non-sexual exposure to Hepatitis C
- DS-29-36 Travel to malaria endemic area/history of malaria
- DS-29-37 History of disease or surgery
- DS-29-38 History of cancer
- DS-29-39 History of Creutzfeldt-Jakob Disease
- DS-29-40 Risk factors associated with Creutzfeldt-Jakob Disease
 - brain surgery

- DS-29-41 Risk factors associated with Creutzfeldt-Jakob Disease
 - family history
- DS-29-42 Risk factors associated with Creutzfeldt-Jakob Disease
 - travel
- DS-29-43 Risk factors associated with Creutzfeldt-Jakob Disease
 - received insulin
- DS-29-44 Received growth hormone
- DS-29-45 Received Proscar, Tegison or Accutane
- DS-29-46 Received medication or antibiotics
- DS-29-47 Received vaccine or immune globulin
- DS-29-48 Exposure to a disease
- DS-29-49 Incarcerated
- DS-29-50 Resided in a rehabilitation center or psychiatric hospital
- DS-29-51 History of Hepatitis A
- DS-29-52 Exposure to Hepatitis A
- DS-29-53 Multiple high risk behaviors/contacts
- DS-29-54 Positive drug screen
- DS-29-55 Deferred by another center

DD-**-** DONOR DEFERRAL (Back to top)

DD-30-** Miscellaneous

DD-30-01 Other

DD-31-** Donor missing or incorrectly identified on deferral list, donor was or should have been previously deferred due to testing:

DD-31-01 Other

A - Unknown

DD-31-02 HIV reactive

DD-31-03 HBsAg reactive

DD-31-04 Anti-HBc reactive

DD-31-05 Anti-HCV reactive

DD-31-06 Anti-HTLV-I reactive

DD-31-07 ALT elevated

DD-31-08 Syphilis reactive

DD-32-** Donor missing or incorrectly identified on deferral list, donor was or should have been previously deferred due to history:

DD-32-01 Other

A - Unknown

B - Sex partner unsuitable (tested positive, history of jaundice)

C - Unacceptable address

D - Rape

E - Donor unreliable (mental status questionable)

DD-32-02 History of hepatitis, not specified

DD-32-03 History of jaundice

DD-32-04 History of Hepatitis B

DD-32-05 History of Hepatitis C

DD-32-06 Sexually transmitted disease

- DD-32-07 Sex partner has or had sexually transmitted disease
- DD-32-08 Sex partner tested positive for HIV
- DD-32-09 Sex partner tested positive for HTLV I/II
- DD-32-10 Sex partner tested positive for HBV
- DD-32-11 Sex partner tested positive for HCV
- DD-32-12 Sex partner tested positive for hepatitis, not specified
- DD-32-13 Sex partner engaged in high risk behavior
- DD-32-14 Male donor had sex with another man
- DD-32-15 Female had sex with a man who had sex with another man
- DD-32-16 IV drug use
- DD-32-17 Sex with IV drug user
- DD-32-18 Non-IV-drug use
- DD-32-19 Sex partner used non-IV drugs
- DD-32-20 Donor lived in or immigrated from an HIV Group O risk area
- DD-32-21 Sex partner lived in or immigrated from an HIV Group O risk area
- DD-32-22 Exchanged sex for drugs or money
- DD-32-23 Sex partner exchanged sex for drugs or money
- DD-32-24 Donor received tattoo
- DD-32-25 Donor received ear piercing
- DD-32-26 Donor received body piercing
- DD-32-27 Donor received accidental needlestick
- DD-32-28 Donor received transfusion or clotting factors
- DD-32-29 Donor received bone graft or transplant
- DD-32-30 Donor was exposed to blood or body fluids
 - A - Acupuncture
 - B - Animal bite
 - C - Human bite
 - D - Occupational exposure
 - E - Not specified
- DD-32-31 Donor had multiple blood or body fluid exposures
 - A - Tattoo and piercing
- DD-32-32 Non-sexual exposure to HIV
- DD-32-33 Non-sexual exposure to hepatitis, type not specified
- DD-32-34 Non-sexual exposure to Hepatitis B
- DD-32-35 Non-sexual exposure to Hepatitis C
- DD-32-36 Travel to malaria endemic area/history of malaria
- DD-32-37 History of disease or surgery
- DD-32-38 History of cancer
- DD-32-39 History of Creutzfeldt-Jakob Disease
- DD-32-40 Risk factors associated with Creutzfeldt-Jakob Disease
 - brain surgery
- DD-32-41 Risk factors associated with Creutzfeldt-Jakob Disease
 - family history
- DD-32-42 Risk factors associated with Creutzfeldt-Jakob Disease
 - travel
- DD-32-43 Risk factors associated with Creutzfeldt-Jakob Disease

- received insulin
- DD-32-44 Received growth hormone
- DD-32-45 Received Proscar, Tegison or Accutane
- DD-32-46 Received medication or antibiotics
- DD-32-47 Received vaccine or immune globulin
- DD-32-48 Exposure to a disease
- DD-32-49 Incarcerated
- DD-32-50 Resided in a rehabilitation center or psychiatric hospital
- DD-32-51 History of Hepatitis A
- DD-32-52 Exposure to Hepatitis A
- DD-32-53 Multiple high risk behaviors/contacts
- DD-32-54 Positive drug screen
- DD-32-55 Deferred by another center
- DD-34-** Donor incorrectly deleted from deferral list or donor not reentered properly, donor previously deferred due to testing:
 - DD-34-01 Other
 - A - Unknown
 - DD-34-02 HIV reactive
 - DD-34-03 HBsAg reactive
 - DD-34-04 Anti-HBc reactive
 - DD-34-05 Anti-HCV reactive
 - DD-34-06 Anti-HTLV-I reactive
 - DD-34-07 ALT elevated
 - DD-34-08 Syphilis reactive
- DD-35-** Donor incorrectly deleted from deferral list, donor previously deferred due to history:
 - DD-35-01 Other
 - A - Unknown
 - B - Sex partner unsuitable (tested positive, history of jaundice)
 - C - Unacceptable address
 - D - Rape
 - E - Donor unreliable (mental status questionable)
 - DD-35-02 History of hepatitis, not specified
 - DD-35-03 History of jaundice
 - DD-35-04 History of Hepatitis B
 - DD-35-05 History of Hepatitis C
 - DD-35-06 Sexually transmitted disease
 - DD-35-07 Sex partner has or had a sexually transmitted disease
 - DD-35-08 Sex partner tested positive for HIV
 - DD-35-09 Sex partner tested positive for HTLV I/II
 - DD-35-10 Sex partner tested positive for HBV
 - DD-35-11 Sex partner tested positive for HCV
 - DD-35-12 Sex partner tested positive for hepatitis, not specified
 - DD-35-13 Sex partner engaged in high risk behavior
 - DD-35-14 Male donor had sex with another man
 - DD-35-15 Female had sex with a man who had sex with another man

DD-35-16 IV drug use
DD-35-17 Sex with IV drug user
DD-35-18 Non-IV-drug use
DD-35-19 Sex partner used non-IV drugs
DD-35-20 Donor lived in or immigrated from an HIV Group O risk area
DD-35-21 Sex partner lived in or immigrated from an HIV Group O risk area
DD-35-22 Exchanged sex for drugs or money
DD-35-23 Sex partner exchanged sex for drugs or money
DD-35-24 Donor received tattoo
DD-35-25 Donor received ear piercing
DD-35-26 Donor received body piercing
DD-35-27 Donor received accidental needlestick
DD-35-28 Donor received transfusion or clotting factors
DD-35-29 Donor received bone graft or transplant
DD-35-30 Donor was exposed to blood or body fluids
 A - Acupuncture
 B - Animal bite
 C - Human bite
 D - Occupational exposure
 E - Not specified
DD-35-31 Donor had multiple blood or body fluid exposures
 A - Tattoo and piercing
DD-35-32 Non-sexual exposure to HIV
DD-35-33 Non-sexual exposure to hepatitis, type not specified
DD-35-34 Non-sexual exposure to Hepatitis B
DD-35-35 Non-sexual exposure to Hepatitis C
DD-35-36 Travel to malaria endemic area/history of malaria
DD-35-37 History of disease or surgery
DD-35-38 History of cancer
DD-35-39 History of Creutzfeldt-Jakob Disease
DD-35-40 Risk factors associated with Creutzfeldt-Jakob Disease
 - brain surgery
DD-35-41 Risk factors associated with Creutzfeldt-Jakob Disease
 - family history
DD-35-42 Risk factors associated with Creutzfeldt-Jakob Disease
 - travel
DD-35-43 Risk factors associated with Creutzfeldt-Jakob Disease
 - received insulin
DD-35-44 Received growth hormone
DD-35-45 Received Proscar, Tegison or Accutane
DD-35-46 Received medication or antibiotics
DD-35-47 Received vaccine or immune globulin
DD-35-48 Exposure to a disease
DD-35-49 Incarcerated
DD-35-50 Resided in a rehabilitation center or psychiatric hospital
DD-35-51 History of Hepatitis A

- DD-35-52 Exposure to Hepatitis A
- DD-35-53 Multiple high risk behaviors/contacts
- DD-35-54 Positive drug screen
- DD-35-55 Deferred by another center

BC--** BLOOD COLLECTION**

- BC-40-**-** Miscellaneous
 - BC-40-01 Other
- BC-41-**-** Sterility compromised
 - BC-41-01 Other
 - BC-41-02 Bacterial contamination
 - BC-41-03 Air contamination
 - BC-41-04 Arm prep not performed or performed inappropriately
- BC-42-**-** Collection bag
 - BC-42-01 Other
 - BC-42-02 Blood drawn into outdated bag
 - BC-42-03 Incorrect anticoagulant
 - BC-42-04 Outdated anticoagulant
 - BC-42-05 Potential collection set (bag, tubing) defect (e.g., product leaking)
 - BC-42-06 Incorrect collection bag used (e.g., 500 ml bag instead of 450ml bag)
- BC-43-**-** Collection process
 - BC-43-01 Other
 - A - Product contained clots and hemolyzed, not discovered prior to distribution
 - BC-43-02 Collection time extended, discrepant, or not documented; not discovered prior to component preparation
 - BC-43-03 Overbleed; not discovered prior to component preparation
 - BC-43-04 Collection status not documented or discrepant
 - BC-43-05 Product contained clots, not discovered prior to distribution
 - BC-43-06 Product hemolyzed, not discovered prior to distribution
 - BC-43-07 Source Plasma from two different donors pooled into one pooling bottle
 - BC-43-08 Donor sample tube mix-up or donor sample tube mislabeled
- BC-44-**-** Apheresis collection device
 - BC-44-01 Other
 - BC-44-02 Device defect
 - BC-44-03 Softgoods defect (bags, tubing, etc)

CP--** COMPONENT PREPARATION**

- CP-50-**-** Miscellaneous
 - CP-50-01 Other
- CP-51-**-** Sterility compromised
 - CP-51-01 Other
 - CP-51-02 Bacterial contamination
 - CP-51-03 Air contamination
 - CP-51-04 Product integrity compromised during component preparation

(e.g., leaking at sterile connection site)

CP-52-** Component not prepared in accordance with specifications

CP-52-01 Other

CP-52-02 Platelets made from Whole Blood collected from donor

who took medication that may affect platelet function

CP-52-03 Resting time requirements not met for Platelets

CP-52-04 Platelets not agitated

CP-52-05 Platelet count or platelet yield not acceptable or

platelet count not performed on Platelet product

CP-52-06 Processed at incorrect centrifuge setting

CP-52-07 Product not frozen within the appropriate time frame or freezing time not documented

CP-52-08 Product prepared at incorrect temperature or held at incorrect temperature during component preparation

CP-52-09 Washing/deglycerolization not performed in accordance with specifications

CP-52-10 Leukoreduction not performed in accordance with specifications

A - Time component returned to controlled temperature not documented or discrepant

B - Product leukoreduced after allowable time frame

CP-52-11 Irradiation not performed in accordance with specifications

A - Time component returned to controlled temperature not documented or discrepant

B - Documentation of irradiation process incomplete

CP-52-12 Components not prepared within appropriate time frame after collection

CP-52-13 Additive solution not added, added incorrectly, added to incorrect product, or expired additive solution added

CP-52-14 Thawing frozen product not performed in accordance with specifications

CP-52-15 Pooling not performed in accordance with specifications

A - Incorrect number of units pooled

CP-52-16 Aliquot preparation not performed in accordance with specifications

CP-52-17 Sterile docking procedure not performed in accordance with specifications

A - No documentation of weld inspection

CP-53-** Component prepared from Whole Blood unit that was

CP-53-01 Other

CP-53-02 Overweight

CP-53-03 Underweight

CP-53-04 Collected or stored at unacceptable or undocumented temperature

CP-53-05 A difficult collection or had an extended collection time

CP-54-** Component manufactured that was

CP-54-01 Other

CP-54-02 Overweight

CP-54-03 Underweight

CP-54-04 Lipemic

VT/RT LABORATORY TESTING

VT-**-** VIRAL TESTING

VT-70-** Miscellaneous

VT-70-01 Other

VT-71-** Testing incorrectly performed, interpreted, or documented (includes QC not performed or unacceptable) for:

VT-71-01 HBsAg

VT-71-02 Anti-HIV-1

VT-71-03 Anti-HIV-2

VT-71-04 Anti-HIV-1/2

VT-71-05 HIV Antigen

VT-71-06 Syphilis

VT-71-07 Anti-HTLV-I/II

VT-71-08 Anti-HBc

VT-71-09 ALT

VT-71-10 Anti-HCV

VT-71-11 More than 1 test, e.g., all viral markers

A. All viral markers

VT-71-12 Cytomegalovirus

VT-71-13 HIV Nucleic Acid Test (NAT)

VT-71-14 HCV Nucleic Acid Test (NAT)

VT-71-15 HIV/HCV Nucleic Acid Test (NAT)

VT-72-** Sample identification

VT-72-01 Other

VT-72-02 Incorrect sample tested

VT-72-03 Sample used for testing was incorrectly or incompletely labeled

VT-72-04 Unsuitable sample used for testing

RT-**-** ROUTINE TESTING

RT-60-** Miscellaneous

RT-60-01 Other

RT-61-** Testing incorrectly performed, interpreted, or documented for:

RT-61-01 Other

RT-61-02 ABO

RT-61-03 Rh

RT-61-04 ABO & Rh

RT-61-05 Antibody screening or identification

RT-61-06 Antigen typing

RT-61-07 Platelet count

RT-61-08 Compatibility

RT-61-09 ABO, Rh, and antibody screen

RT-61-10 ABO, Rh, antibody screen, and compatibility

RT-61-11 Antibody screen and compatibility

RT-62-** Sample identification

- RT-62-01 Other
- RT-62-02 Incorrect sample tested
- RT-62-03 Sample used for testing was incorrectly or incompletely labeled
- RT-62-04 Unsuitable sample used for testing (e.g., too old)
- RT-63-** Testing performed using reagents in which QC was unacceptable or not performed, or expired reagents were used
 - RT-63-01 Other
 - RT-63-02 ABO
 - RT-63-03 Rh
 - RT-63-04 ABO & Rh
 - RT-63-05 Antibody screening or identification
 - RT-63-06 Antigen typing
 - RT-63-07 Multiple testing

LA-**-** LABELING

- LA-80-** Miscellaneous
 - LA-80-01 Other
- LA-81-** Labels applied to blood unit incorrect or missing information
 - LA-81-01 Other
 - A. Volunteer donor
 - LA-81-02 ABO and/or Rh incorrect
 - LA-81-03 ABO and/or Rh missing
 - LA-81-04 Product type incorrect (e.g., RBC labeled as Whole Blood)
 - LA-81-05 Product type missing
 - LA-81-06 Extended expiration date or time
 - LA-81-07 Missing expiration date or time
 - LA-81-08 Anticoagulant incorrect or missing
 - LA-81-09 Donor number incorrect or missing
 - LA-81-10 Multiple labels incorrect or missing
 - LA-81-11 Volume or weight incorrect or missing
 - LA-81-12 Irradiation status incorrect or missing
 - LA-81-13 Leukoreduction status incorrect or missing
 - LA-81-14 Irradiation and leukoreduction status incorrect or missing
 - LA-81-15 CMV status incorrect or missing
- LA-82-** Crossmatch tag or tie tag labels incorrect or missing information
 - LA-82-01 Other
 - A - Hemoglobin S
 - B - Required information missing
 - LA-82-02 Unit ABO and/or Rh incorrect or missing
 - A. Also transfusion record
 - LA-82-03 Recipient ABO and/or Rh incorrect or missing
 - A. Also transfusion record
 - LA-82-04 Product type incorrect or missing
 - A. Also transfusion record
 - LA-82-05 Expiration date or time extended or missing
 - A. Also transfusion record

- LA-82-06 Unit or pool number incorrect or missing
 - A. Also transfusion record
- LA-82-07 Recipient identification incorrect or missing (specify if autologous unit)
 - A. Also transfusion record
 - B - Autologous
- LA-82-08 Antigen incorrect or missing
 - A. Also transfusion record
- LA-82-09 Antibody incorrect or missing
 - A. Also transfusion record
- LA-82-10 Platelet count incorrect or missing
 - A. Also transfusion record
- LA-82-11 HLA type incorrect or missing
 - A. Also transfusion record
- LA-82-12 Volume or weight incorrect or missing
 - A. Also transfusion record
- LA-82-13 CMV status incorrect or missing
 - A. Also transfusion record
- LA-82-14 Irradiation status incorrect or missing
 - A. Also transfusion record
- LA-82-15 Leukoreduced status incorrect or missing
 - A. Also transfusion record
- LA-82-16 Crossmatch tag switched, both units intended for the same patient
 - A. Also transfusion record
- LA-82-17 Crossmatch tag incorrect or missing
 - A. Also transfusion record
- LA-82-18 Biohazard or test status incorrect or missing
 - A. Also transfusion record
- LA-82-19 Multiple labels incorrect or missing
 - A. Also transfusion record
- LA-83-** Transfusion record (crossmatch slip) incorrect or missing information
 - LA-83-01 Other
 - LA-83-02 Unit ABO and/or Rh incorrect or missing
 - LA-83-03 Recipient ABO and/or Rh incorrect or missing
 - LA-83-04 Product type incorrect or missing
 - LA-83-05 Expiration date or time extended or missing
 - LA-83-06 Unit or pool number incorrect or missing
 - LA-83-07 Recipient identification incorrect or missing (specify if autologous)
 - LA-83-08 Antigen incorrect or missing
 - LA-83-09 Antibody incorrect or missing
 - LA-83-10 Platelet count incorrect or missing
 - LA-83-11 HLA type incorrect or missing
 - LA-83-12 Volume or weight incorrect or missing
 - LA-83-13 CMV status incorrect or missing
 - LA-83-14 Irradiation status incorrect or missing
 - LA-83-15 Leukoreduced status incorrect or missing

LA-83-16 Transfusion records switched, both units intended for the same patient

LA-83-17 Incorrect transfusion record released with unit (e.g., intended for different patient)

LA-83-18 Biohazard or test status incorrect or missing

LA-83-19 Multiple labels incorrect or missing

QC-**-** QUALITY CONTROL and DISTRIBUTION

QC-90-** Miscellaneous

QC-90-01 Other

QC-91-** Failure to quarantine unit due to medical history:

QC-91-01 Other

A - Unknown

B - Sex partner unsuitable (tested positive, history of jaundice)

C – Unacceptable address

D - Rape

E - Donor unreliable (mental status questionable)

QC-91-02 History of hepatitis, not specified

QC-91-03 History of jaundice

QC-91-04 History of Hepatitis B

QC-91-05 History of Hepatitis C

QC-91-06 Sexually transmitted disease

QC-91-07 Sex partner has or had a sexually transmitted disease

QC-91-08 Sex partner tested positive for HIV

QC-91-09 Sex partner tested positive for HTLV I/II

QC-91-10 Sex partner tested positive for HBV

QC-91-11 Sex partner tested positive for HCV

QC-91-12 Sex partner tested positive for hepatitis, not specified

QC-91-13 Sex partner engaged in high risk behavior

QC-91-14 Male donor had sex with another man

QC-91-15 Female had sex with a man who had sex with another man

QC-91-16 IV drug use

QC-91-17 Sex with IV drug user

QC-91-18 Non-IV-drug use

QC-91-19 Sex partner used non-IV drugs

QC-91-20 Donor lived in or immigrated from an HIV Group O risk area

QC-91-21 Sex partner lived in or immigrated from an HIV Group O risk area

QC-91-22 Exchanged sex for drugs or money

QC-91-23 Sex partner exchanged sex for drugs or money

QC-91-24 Donor received tattoo

QC-91-25 Donor received ear piercing

QC-91-26 Donor received body piercing

QC-91-27 Donor received accidental needlestick

QC-91-28 Donor received transfusion or clotting factors

QC-91-29 Donor received bone graft or transplant

QC-91-30 Donor was exposed to blood or body fluids

- A - Acupuncture
- B - Animal bite
- C - Human bite
- D - Occupational exposure
- E - Not specified
- QC-91-31 Donor had multiple blood or body fluid exposures
 - A. Tattoo and piercing
- QC-91-32 Non-sexual exposure to HIV
- QC-91-33 Non-sexual exposure to hepatitis, type not specified
- QC-91-34 Non-sexual exposure to Hepatitis B
- QC-91-35 Non-sexual exposure to Hepatitis C
- QC-91-36 Travel to malaria endemic area/history of malaria
- QC-91-37 History of disease or surgery
- QC-91-38 History of cancer
- QC-91-39 History of Creutzfeldt-Jakob Disease
- QC-91-40 Risk factors associated with Creutzfeldt-Jakob Disease
 - brain surgery
- QC-91-41 Risk factors associated with Creutzfeldt-Jakob Disease
 - family history
- QC-91-42 Risk factors associated with Creutzfeldt-Jakob Disease
 - travel
- QC-91-43 Risk factors associated with Creutzfeldt-Jakob Disease
 - received insulin
- QC-91-44 Received growth hormone
- QC-91-45 Received Proscar, Tegison or Accutane
- QC-91-46 Received medication or antibiotics
- QC-91-47 Received vaccine or immune globulin
- QC-91-48 Exposure to a disease
- QC-91-49 Incarcerated
- QC-91-50 Resided in a rehabilitation center or psychiatric hospital
- QC-91-51 History of Hepatitis A
- QC-91-52 Exposure to Hepatitis A
- QC-91-53 Multiple high risk behaviors/contacts
- QC-91-54 Positive drug screen
- QC-91-55 Deferred by another center
- QC-91-56 Post donation illness
- QC-92-** Required testing incomplete or positive for:
 - QC-92-01 Other
 - QC-92-02 HIV
 - A - Subsequent unit tested positive
 - B - Previous unit tested positive
 - QC-92-03 HBsAg
 - A - Subsequent unit tested positive
 - B - Previous unit tested positive
 - QC-92-04 Anti-HBc
 - A - Subsequent unit tested positive

B - Previous unit tested positive
QC-92-05 Anti-HCV
A - Subsequent unit tested positive
B - Previous unit tested positive
QC-92-06 Anti-HTLV-I
A - Subsequent unit tested positive
B - Previous unit tested positive
QC-92-07 ALT
A - Subsequent unit tested positive
B - Previous unit tested positive
QC-92-08 ABO
A – Donor/unit
B - Recipient
QC-92-09 Rh
A – Donor/unit
B - Recipient
QC-92-10 Antibody screen or identification
A - Donor/unit
B - Recipient
QC-92-11 Antigen screen
QC-92-12 Syphilis
A - Subsequent unit tested positive
B - Previous unit tested positive
QC-92-13 All viral markers
QC-92-14 Compatibility
QC-92-15 HIV/HCV Nucleic Acid Test (NAT)
QC-92-16 ABO and Rh
A – Donor/unit
B - Recipient
QC-92-17 ABO/Rh and antibody screen
A – Donor/unit
B - Recipient
QC-93-** Required testing not performed
or documented for:
QC-93-01 Other
A - Hemoglobin S
B – Drug screen
QC-93-02 HIV
QC-93-03 HBsAg
QC-93-04 Anti-HBc
QC-93-05 Anti-HCV
QC-93-06 Anti-HTLV-I
QC-93-07 ALT
QC-93-08 ABO
A – Donor/unit
B - Recipient

- QC-93-09 Rh
 - A – Donor/unit
 - B - Recipient
- QC-93-10 Antibody screen or identification
 - A – Donor/unit
 - B - Recipient
- QC-93-11 Antigen screen
- QC-93-12 Syphilis
- QC-93-13 All viral markers
- QC-93-14 Compatibility
- QC-93-15 HIV/HCV Nucleic Acid Test (NAT)
- QC-93-16 ABO and Rh
 - A - Donor/unit
 - B - Recipient
- QC-93-17 ABO/Rh and antibody screen
 - A - Donor/unit
 - B - Recipient
- QC-94-** Inappropriate release of:
 - QC-94-01 Other
 - A - Rh Immune Globulin
 - QC-94-02 Outdated product
 - QC-94-03 Autologous unit not meeting homologous criteria
 - QC-94-04 Product with unacceptable, undocumented, or incomplete product quality control
 - A - Platelet count
 - B - Hematocrit
 - C - RBC recovery
 - D - Absolute red cell volume
 - E - WBC count
 - F - pH
 - QC-94-05 Product in which specification other than QC not met
 - QC-94-06 Product in which instrument QC or validation was unacceptable, incomplete, or not documented
 - A - Hematocrit control reagents
 - B - Microhematocrit centrifuge
 - QC-94-08 Product prior to resolution of discrepancy
 - QC-94-09 Product associated with product that contained clots or hemolysis
 - QC-94-12 Product identified as unsuitable due to a collection deviation or unexpected event
 - A - Collection time extended, discrepant or not documented
 - QC-94-13 Product identified as unsuitable due to a component preparation deviation or unexpected event
 - QC-94-14 Product identified as unsuitable due to a labeling deviation or unexpected event

QC-94-15 Product identified as unsuitable due to a donor screening deviation or unexpected event

A - Donor history question not answered or incomplete

QC-94-16 Product identified as unsuitable due to a donor deferral deviation or unexpected event

QC-96-** Shipping and storage

QC-96-01 Other

QC-96-02 Shipped at incorrect temperature

QC-96-03 Stored at incorrect temperature

QC-96-04 No documentation that product was shipped or stored at appropriate temperature

QC-96-05 Temperature not recorded or unacceptable upon receipt, unit redistributed

QC-96-06 Shipment exceeded time allowed for shipping, unit redistributed

QC-96-07 Product not packaged in accordance with specifications

QC-97-** Distribution procedure not performed in accordance with blood bank transfusion service's specifications

QC-97-01 Other

QC-97-02 Product not irradiated as required

QC-97-03 Product issued to wrong patient

QC-97-04 Improper product selected for patient

QC-97-05 Improper ABO or Rh type selected for patient

QC-97-06 Product not leukoreduced as required

QC-97-07 Product released prior to obtaining current sample for ABO, Rh, antibody screen and/or compatibility testing

QC-97-08 Product not CMV negative as required

QC-97-10 Filter not issued with product or incorrect filter issued

QC-97-11 Product not irradiated and leukoreduced as required

QC-97-12 Product not irradiated and CMV negative as required

QC-97-13 Procedure for issuing not performed or documented in accordance with specifications

QC-97-14 ABO and/or Rh retype of unit not performed or performed incorrectly

QC-97-15 Visual inspection not performed or documented

QC-97-16 Product inspected and accepted upon receipt from blood center, subsequently discovered to be hemolyzed

QC-97-17 Product not washed as required

QC-97-18 Product returned and reissued inappropriately

QC-97-19 Product not documented as issued in the computer (computer documentation is final check of issue process)

MI-**-** MISCELLANEOUS

MI-00-** Miscellaneous

MI-00-01 Other

MI-01-** Donor implicated in transfusion associated disease

MI-01-01 Other

MI-01-02 HIV

MI-01-03 Hepatitis

MI-01-04 West Nile Virus

MI-02-** Lookback; subsequent unit tested confirmed positive for:

MI-02-01 Other

MI-02-02 HIV

MI-02-03 HBV

MI-02-04 HCV

MI-02-05 West Nile Virus